



Clip
- Plastic
Model 2871.6US

d	Wt [lb]	Quantity	Part No	DG
5/16	0.003	100	15112	4



Viega Climate Mat
- For in slab applications
- Pre-engineered
CAN/ULC S101, CAN/ULC S102.2
Model 2809.1US

d	O.C.	Loop	Circuit	W [ft]	Wt [lb]	Quantity	Part No	DG
1/2	6	6	6	6	0.160	1	18150	4
1/2	9	4	4	6	0.160	1	18151	4
1/2	6	6	3	6	0.160	1	18154	4
1/2	6	6	2	6	0.160	1	18155	4
1/2	9	4	2	6	0.160	1	18156	4
5/8	9	4	2	6	0.160	1	18157	4
5/8	9	4	4	6	0.160	1	18160	4



Viega Climate Mat
- For in slab applications
- Pre-engineered
CAN/ULC S101, CAN/ULC S102.2
Model 2809.2US

d	O.C.	Loop	Circuit	W [ft]	Wt [lb]	Quantity	Part No	DG
1/2	9	3	3	5	0.160	1	18158	4
1/2	12	3	3	5	0.160	1	18152	4
5/8	12	3	3	5	0.160	1	18159	4



Mat clip
- Suitable for Viega Climate Mat
Model 2809.1US, 2809.2US
- Plastic
Model 2809.3US

d	Wt [lb]	Quantity	Part No	DG
1/2	0.005	50	18165	4
5/8	0.005	50	18166	4

Mixing equipment



Mixing station Enhanced
- For supply temperature modulation
- 7 settings, permanent magnet motor design reduces power consumption by 50%
Components
Isolation ball valves, mounting bracket, supply temperature sensor well
Model V1203.0

Connections	Wt [lb]	Quantity	Part No	DG
ProPress	21.994	1	12152	4
PEX Press	21.994	1	12153	4
copper (male)	23.183	1	12151	4



Mixing station Base unit
- For supply temperature modulation
- Equipped with circulator Model 2801.1US, 2801.9US
Components
Isolation ball valves, mounting bracket, supply temperature sensor well, 3-speed circulator
Model 2801.0US

Circulator	Connections	Wt [lb]	Quantity	Part No	DG
high head	ProPress	26.036	1	12121	4
high head	PEX Press	27.422	1	12123	4
high head	copper (male)	26.092	1	12125	4



Hydronic mixing block
- Circulator, control, mixing valve
Components
3-speed circulator, control, air vent, adapter fittings, bracket and sensors
Model 2887.3

Wt [lb]	Quantity	Part No	DG
8.488	1	56160	4